



Passion for packaging

Ilip Food Packaging for



HOME DELIVERY

Selected items from our series

Food2Go

IlipBio

PROFESSIONAL
catering

FIBRAware

ILIP SRL

Via Castelfranco 52 - 40053 Valsamoggia BO - Italy - Tel +39 0516715411 - Fax +39 051 6715413
www.ilip.it - info@ilip.it



**Ilip food packaging for
HOME DELIVERY**

ILIP
Passion for packaging

FOR HOT USE



PROFESSIONAL
catering



SERIES MW



SERIES GRAND CHEF



SERIES GRAND CHEF

HINGED LID CONTAINERS IN PP

CAPACITY CC	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack	options
370	MW370PP	30610	125x115 h50	9,9	50	microwaveable
500	MW500PP	30614	135x125 h50	11,9	50	
750	MW750LPP	30611	185x135 h45	21,1	50	
1000	MW1000PP	30613	185x135 h60	21,1	50	
1500	MW1500PP	30612	185x185 h70	29,4	50	
2000	MW2000PP	30615	185x185 h85	32,3	50	

CONDITIONS OF USE: 70°C < 2 h – max. 100°C < 15 min.

CONTAINERS IN PP

CAPACITY CC	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack	options
650	CV65M	30122	240x155 h40	17,9	50	microwaveable & sealable
650	CV65B1/2	30123	240x155 h40	18,8	50	
650	CV65B1/3	30124	240x155 h40	18,8	50	
800	CV80M	30125	255x185 h35	24,7	50	
800	CV80B	30126	255x185 h35	25,8	50	
800	CV80T	30127	255x185 h35	25,8	50	

CONDITIONS OF USE: 70°C < 2 h – max. 100°C < 15 min.

LIDS IN PP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack	options
CC65M5	30128	240x155 h5	14,9	50	microwaveable
CC65M15	30129	240x155 h15	14,9	50	
CC65M45	30130	240x155 h45	16,4	50	
CC80M40	30131	255x185 h35	22,8	50	
CC80B25	30132	255x185 h25	22,8	50	
CC80T25	30133	255x185 h22	22,8	50	

CONDITIONS OF USE: 70°C < 2 h – max. 100°C < 15 min.





**Ilip Food Packaging per
HOME DELIVERY**

ILIP
Passion for packaging

FOR HOT USE



FIBRAware



FWCP450



FWCP600



FWCP1000Q



FWCP1000Q3S



FWCP1200



FWCP12003S



FWCP1000R



FWCP1000R2S

**HINGED LID CONTAINERS
IN CELLULOSE PULP**

COMPOSTABLE

CAPACITY CC	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
450	FWCP450	30670	155x155x77	24	50	microwaveable
600	FWCP600	30671	182x136x68	20	50	
1000	FWCP1000Q	30672	220x203x76	37	50	
325/70/60	FWCP1000Q3S	30673	220x203x76	37	50	
1200	FWCP1200	30674	228x228x76	42	50	
350/120/120	FWCP12003S	30675	228x228x76	42	50	
1000	FWCP1000R	30676	230x153x80	30	50	
500/300	FWCP1000R2S	30677	230x153x80	30	50	

CONDITIONS OF USE: max. 90°C < 30 min.





**Ilip food packaging for
HOME DELIVERY**

ILIP
Passion for packaging

FOR HOT USE



IlipBio



flat tray



deep tray



deep tray 2 compartments

PROFESSIONAL
catering

The flat and deep trays in PP are available also in the following colours for specific diets:



suitable for
trays and bowl



HEATSEALABLE TRAYS IN MATER-BI

COMPOSTABLE

DESCRIPTION	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
flat tray	LIPPTHP	71153	180x180 h25	18	600	microwa- veable & sealable
deep tray	LIPFTHP	71171	180x180 h35	18		
deep tray 2 comp.	LIP2STHP	71172	180x180 h40	22		

CONDITIONS OF USE: max. 90°C < 1 h / microwaveable at max. 80°C

LIDS IN PLA AND MATER-BI & TOP FILM IN PLA

COMPOSTABLE

DESCRIPTION	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
lid	LIC180TPLA	71360	180x180 h5.5	11,5	75	
	LIC180HP	71402		14	75	
top film	LIFANP185	79000	185	5800	1	
	LIFANP220	79002	220	6900	1	
	LIFANP420	79001	420	13200	1	

CONDITIONS OF USE: max. 40°C for products in PLA;
max. 90°C for products in MATER-BI

HEATSEALABLE TRAYS IN PP

DESCRIPTION	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
flat tray	PPTHL50	70400	180x180 h25	11,5	50	microwaveable & sealable
	PPTHS50	70411		13,5		
	PPTHP50N	70431		16		
deep tray	PFTHL50	70404	180x180 h35	11,5		
	PFTHS50	70234		13,5		
	PFTHP50N	70440		16		
deep tray 2 comp.	P2STHS50	70971	180x180 h40	14		

CONDITIONS OF USE: max. 121°C < 1 h

LID & TOP FILM IN PET/PP

DESCRIPTION	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
lid PP	C180TPP	70832	180x180 h5,5	9,5	100	microwa- veable
top film PET-PP	FANP185	70008	185	4200	1	
	FANP220	70009	220	4950	1	

CONDITIONS OF USE: max. 120°C < 1 h - TOP FILM: 120°C < 1h / 100°C

BOWL IN PP

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
1.000	TERPP10	70122	180x180 h60	17	10	

CONDITIONS OF USE: max. 120°C



**Ilip Food Packaging per
HOME DELIVERY**

ILIP
Passion for packaging

FOR HOT USE



PROFESSIONAL
catering



P30



P35



P29

CONTAINERS IN PP & LIDS

CAPACITY CC	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
400	P8PP	30210	125x91 h47	6	100	micro-waveable
648	P9PP	30221	135x125 h50	10	100	
lids	CP8	30011	130x96 h6	3,2	100	PS
	CP8T	30012	130x96 h6	3,5	100	PET
	CP9	30013	157x113 h6	4,5	100	PS
	CP9T	30014	157x113 h6	5	100	PET

CONDITIONS OF USE: P8PP&P9PP: 70°C <2h/max. 121°C <1h - max. 120°C
PET LIDS: 70°C < 2h
PS LIDS: 70°C < 2h; max. 80°C < 15 min.

SEALABLE CONTAINERS IN PP

CAPACITY CC	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
250	P30/30PP7	30075	137x95 h30	5	175	microwaveable
350	P30/45PP6	30076	137x95 h45	5,5	150	
480	P30/65PP6	30077	137x95 h65	6	150	
500	P35/40PP	30080	137x137 h40	7	166	
700	P35/60PP	30081	137x137 h60	8,5	125	
650	P29/38PP7	30065	190x137 h38	10	175	
850	P29/50PP6	30067	190x137 h50	11	150	
1250	P29/70PP6	30068	190x137 h70	12	150	
1500	P29/95PP15	30069	190x137 h95	15	125	
top film	FFS150	70014	150	1630	1	

CONDITIONS OF USE: P30/20/35: 70°C <2h/max. 121°C <1h / max. 120°C
TOP FILM: max. 80°C < 2h





Ilip food packaging for
HOME DELIVERY



FOR HOT USE



FIBRAware



FWINST750KR150



FWCINST150T



FWINSR500KR172



FWCINSR172T



FWCINSR172K



FWSB350KR120



SALAD BOWL IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
750	FWINST750KR150	30692	Ø150 h60	16	50
1000	FWINST1000KR165	30701	Ø165 h65	19	
1300	FWINST1300KR184	30702	Ø184 h65	22	

CONDITIONS OF USE: 100°C < 1h

LID IN PET FOR SALAD BOWL

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCINST150T	30693	Ø150	8	50
FWCINST165T	30694	Ø165	9,5	
FWCINST184T	30685	Ø184	11	

CONDITIONS OF USE: 30°C < 1h

SALAD BOWL IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
500	FWINSR500KR172	30703	172X120 h41	16	50
750	FWINSR750KR172	30704	172X120 h56	19	
1000	FWINSR1000KR172	30705	172X120 h75	22	

CONDITIONS OF USE: 100°C < 1h

LID IN PP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCINSR172T	30718	172x120	9	75

CONDITIONS OF USE: 100°C < 1h

LID IN PE-COATED CARDBOARD

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCINSR172K	30719	172x120	22	25

CONDITIONS OF USE: 100°C < 1h

HINGED LID SALAD BOX IN PE-COATED CARBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
350	FWSB350KR120	30728	120x86 h45	16	50
600	FWSB600KR150	30729	150x100 h45	22	
1000	FWSB1000KR180	30730	180x120 h50	30	

CONDITIONS OF USE: 100°C < 30 min.



**Ilip Food Packaging per
HOME DELIVERY**



FOR HOT USE



FIBRAware



FWCPT250KR116



FWCCPT116T



FWCCPT116K

SOUP CUP IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
250	FWCPT250KR116	30708	Ø116 h50	9,37	50
350	FWCPT350KR116	30709	Ø116 h62	10,65	
450	FWCPT450KR116	30710	Ø116 h76	12,25	

CONDITIONS OF USE: max 95°C < 1h

LID IN PET FOR SOUP CUP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCCPT116T	30725	Ø116	4,65	50

CONDITIONS OF USE: max 30°C < 1h

LID IN PE-COATED CARDBOARD FOR SOUP CUP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCCPT116K	30723	Ø116	12,5	50

CONDITIONS OF USE: max 95°C < 1h





**Ilip food packaging for
HOME DELIVERY**



FOR HOT USE



FIBRAware



FWCPT350KR90



FWCCPT90K



FWCPT28KR62



FWCCPT62T



FWCCPT62K



FWDB800KR110



SOUP CUP IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
350	FWCPT350KR90	30706	Ø90 h86	11,8	25
450	FWCPT450KR96	30707	Ø90 h93	14	
750	FWCPT750KR115	30696	Ø90 h115	20	

CONDITIONS OF USE: 100°C < 1h

LID IN PE-COATED CARDBOARD FOR SOUP CUP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCCPT90K	30720	Ø90	8,5	25
FWCCPT96K	30721	Ø97	8,9	
FWCCPT115K	30722	Ø116	12,5	

CONDITIONS OF USE: max 100°C < 1h

SAUCE CUP IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
28	FWCPT28KR62	30711	Ø61,5 h40	2	50
56	FWCPT56KR62	30712	Ø61,5 h48	2	

CONDITIONS OF USE: max 95°C < 1h

LID IN PP FOR SAUCE CUP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCCPT62T	30727	Ø61,5	4	50

CONDITIONS OF USE: max 100°C < 1h

LID IN PE-COATED CARDBOARD FOR SAUCE CUP

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWCCPT62K	30726	Ø61,5	4	50

CONDITIONS OF USE: max 95°C < 1h

DELI BOX IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
800	FWDB800KR110	30731	110x90 h63	26	50
1200	FWDB1200KR152	30732	152x118 h62	37	
2000	FWDB2000R197	30733	197x140 h63	46	

CONDITIONS OF USE: max 100°C < 30 min.



**Ilip Food Packaging per
HOME DELIVERY**

ILIP
Passion for packaging

FOR HOT USE



FIBRAware



FWFT3KR



FWPW350KR60



FWNB450KR80



FOOD TRAY IN PE-COATED CARDBOARD

ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
FWFT3KR	30734	100x64 h37	7	250
FWFT4KR	30735	105x75 h43	9	
FWFT5KR	30736	135x85 h55	13	
FWFT6KR	30737	170x97 h57	19	

CONDITIONS OF USE: max 100°C < 30 min.

FRIES WRAP CUP IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
350	FWPW350KR60	30713	Ø61 h70/120	8	50

CONDITIONS OF USE: max 95°C < 1h

NOODLE BOX IN PE-COATED CARDBOARD

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/pack
450	FWNB450KR80	30714	88x73 h101	15	50
750	FWNB750KR90	30715	98x83 h98	19	
1000	FWNB1000KR90	30716	111x91 h113	23	

CONDITIONS OF USE: max 95°C < 1h





**Ilip food packaging for
HOME DELIVERY**

ILIP
Passion for packaging

FOR COLD USE



Food2Go



SERIES MD



SERIES R



black (N)

transparent (T)



SERIES G

HINGED LID CONTAINERS IN PET

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack
250	MDO1-250PET	30593	133,5x105,5 h43	10	50
375	MDO2-375PET	30592	144x115 h50	11,7	50
500	MDO3-500PET	30591	150x124 h55	14,3	50
750	MDO4-750PET	30590	172x144 h62	25,5	50
1000	MDO5-1000PET	30581	184x158 h66	26	50
1500	MDO6-1500PET	30582	208x182 h76	37,5	50
2000	MD07-2000PET	30583	225x198 h83	48	50

CONDITIONS OF USE: max. 40°C

HINGED LID CONTAINERS IN PET

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack
150	R467-150PET	30598	Ø 121 h40	9,3	50
250	R466-250PET	30597	Ø 121 h60	9,4	50
375	R465-375PET	30596	Ø 155 h55	15,4	50
500	R464-500PET	30595	Ø 155 h68	17,6	50
600	R463-600PET	30594	Ø 174 h66	23,6	50
750	R462-750PET	30600	Ø 174 h73,3	24,5	50
1000	R461-1000PET	30599	Ø 185 h78,3	28	50

CONDITIONS OF USE: max. 40°C

CONTAINERS AND LID IN PET

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack	options
500	FF481-500T	30602	Ø 166 h50	9,6	50	sealable
500	FF481-500N	30601	Ø 166 h50	9,6	50	
600	FF481-600T	30585	Ø 166 h59	9,9	50	
600	FF481-600N	30584	Ø 166 h59	9,9	50	
1000	FF481-1000T	30587	Ø 218 h52	17	50	
1000	FF481-1000N	30586	Ø 218 h52	17	50	
lids	BL48-166	30589	Ø 166 h24	7,2	50	
	BL48-218	30588	Ø 218 h24	14,5	50	

CONDITIONS OF USE: max. 70°C < 2h

HINGED LID CONTAINERS IN PLA

COMPOSTABLE

CAPACITY cc	ILIP CODE	SAP CODE	SIZES mm	WEIGHT g	pcs/ pack
250	LIG250PLA	30116	126x117 h43	12	50
370	LIG370PLA	30381	126x117 h56	12	50
500	LIG500PLA	30118	135x125 h56	15,5	50
750	LIG750LPLA	30119	188x143 h52	22	50
1000	LIG1000LPLA	30015	188x143 h67	25	50

CONDITIONS OF USE: max. 40°C



We complete our offer of packaging suitable for
HOME DELIVERY and **TAKE AWAY** with these products:

CUTLERY SETS

- BIS & TRIS
in bioplastics and wood

View our catalogues
[PROFESSIONAL](#), [IlipBIO](#) and [FibrAware](#)



CUPS WITH LIDS AND INSERTS IN PET E PLA

- Different capacities
- Lids dome or flat,
with or without hole

View our catalogue [KlearCup](#) and [ILIPBIO](#)



Combine cups,
inserts and lids of
different sizes.

INDIVIDUALLY WRAPPED CUPS

- Kristal cup in PET - 200cc, 250cc & 400cc
- Kristal cup in PLA - 200cc & 400cc
- Light cup in PP - 200cc
- Light cup in PLA - 200cc

View our catalogues
[KlearCup](#), [IlipBIO](#) and [Flexi](#)





Passion for packaging

ILIP SRL

Via Castelfranco 52 - 40053 Valsamoggia BO - Italy

Tel +39 0516715411 - Fax +39 051 6715413

www.ilip.it - info@ilip.it